



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

T.D

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/405,934 09/27/99 JORGENSEN P 5509-00100

025094 IM52/0201
GRAY, CARY, WARE & FREIDENRICH
100 CONGRESS AVE
SUITE 1440
AUSTIN TX 78701-4042

EXAMINER

FREISCH,N

ART UNIT	PAPER NUMBER
----------	--------------

1764

DATE MAILED:

02/01/01

9

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Office Action Summary

Application No.

09/405,934

Applicant(s)

JORGENSEN, PIERRE

Examiner

Nadine Preisch

Art Unit

1764

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136 (a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 November 2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) 4 is/are objected to.
- 8) ☐ Claims _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are objected to by the Examiner.
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☒ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Attachment(s)

- 15) ☒ Notice of References Cited (PTO-892)
- 16) ☒ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 17) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4.
- 18) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 19) ☐ Notice of Informal Patent Application (PTO-152)
- 20) ☐ Other:

Art Unit: 1764

DETAILED ACTION

Election/Restriction

Applicant's election without traverse of Group I in Paper No. 8 is acknowledged.

Claim Objections

Claim 4 is objected to because of the following informalities: Claim 4 ends in a comma and not a period. Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 20 is rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. In claim 20, applicant refers to a series of extractors which are configured to "convert" different products. It is unclear how an extractor "converts" products to lighter products when the purpose of an extractor is to "remove" undesirable feed components such as metallic impurities.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 1764

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 2, 4, 8, 9, 11, 12, 13, 16, 17, 18, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over oral translation of German Patent (1,049,851) in view of Hsu et al.(4,692,237) and Bunas et al.(3,998,726).

Applicant is claiming a process for converting hydrocarbons which might be laden with impurities to light products that may be distilled. Applicant claims the process involves preheating a hydrocarbon load; treating the hydrocarbon load with a jet having a first amount of energy which causes the load to reach an activation energy at which a portion of the molecules to split into lighter molecules; stabilizing the load in a reactor at a first pressure; expanding the load at a second pressure; and passing the load through a series of extractors configured to demetallize the load, wherein at least one reactor produces a water/hydrocarbon emulsion.

German Patent (1,049,851) discloses a process for the production of light hydrocarbons by thermal cracking with a heat transfer gas. The process involves the formation of a heated gas and hydrocarbon mixture. The heated mixture is passed to a reactor. The mixture is vaporized in a chamber. See page 2, column 1, lines 55-67 and page 2, column 2, lines 1-10.

The reference of German Patent (1,049,851) succeeds in disclosing a hydrocarbon cracking process which involves the heating of a hydrocarbon and the addition of a heat transfer gas to the feed which is passed to a reactor. The disclosure of cracking encompasses applicant's splitting limitations. The reference's heat transfer gas is considered to correspond to applicant's jet containing energy. In addition, the reference's vaporization of the gas/feed mixture is

Art Unit: 1764

considered to correspond to applicant's expanding of a load at a second pressure because the gas/feed mixture is converted to a vapor which is less dense. The reference's disclosure of the production of lighter molecules is considered to encompass applicant's breaking of substantially all molecules into two parts because the lighter products are all portions of heavier molecules.

The pressure of the gas/liquid mixture before it is expanded (i.e. vaporized) is considered to meet applicant's limitation in claim 12 wherein the pressure is selected to minimize soaking. Since the reference does not disclose the formation of coke, it appears that soaking is limited.

Several differences are noted between German Patent (1,049,851) and applicant's invention. The reference is silent about extracting the products to remove metals. The reference is silent about an emulsification step.

The reference of Bunas et al.(3,998,726) is cited to illustrate that the removal of metal contaminants from a hydrocarbonaceous stock by solvent extraction is known in the art. See abstract, lines 1-5. The extraction is performed at a temperature of 50-600°F (10-316°C). See column 6, lines 64-66.

The reference of Hsu et al.(4,692,237) is cited to illustrate that it is known in the art to utilize the formation of water/oil emulsions for the removal of undesirable inorganic solids in fractions obtained from steam cracking units. See abstract, lines 1-8.

Applicant's metallic extraction steps do not distinguish the present invention over the reference of German Patent (1,049,851) because extraction to remove undesirable metallic components is known in the art. It would have been obvious to one of ordinary skill in the art at the time the invention was made practicing the invention of German Patent (1,049,851) to remove any undesirable metal components which may be present in the final product by

Art Unit: 1764

extraction because the reference of Bunas et al.(3,998,726) illustrates that it is known in the art to extract undesirable metal components from hydrocarbonaceous stocks. In addition, it would have been obvious to one of ordinary skill in the art to select applicant's extraction temperatures because such temperatures are sufficiently close to those disclosed by the reference of Bunas et al.(3,998,726) that a similar extraction would be expected.

Applicant's emulsion forming step is not considered to be a patentable distinction over the reference of German Patent (1,049,851) because the removal of undesirable components from steam cracking products by emulsion formation is known. It would have been obvious to one of ordinary skill in the art at the time the invention was made to separate an undesirable inorganic component (metal = inorganic component) from a cracked product by emulsion formation is known, including the cracked product of German Patent (1,049,851), because the reference of Hsu et al.(4,629,237) illustrates that it is known in the art to separate undesirable inorganic components from cracked products by emulsion formation.

Claim Rejections - 35 USC § 103

Claims 3 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over German Patent (1,049,851) in view of Hsu et al.(4,692,237) and Bunas et al.(3,998,726) as applied to claims 1, 2, 4, 8, 9, 11, 12, 13, 16, 17, 18, and 19 above, and further in view of Kruyer (4,406,793).

A difference is noted between the combined teachings of German Patent (1,049,851), Hsu et al.(4,692,237), and Bunas et al.(3,998,726) and applicant's claimed invention. The combined references do not disclose the breaking up of the emulsions with a screen.

Art Unit: 1764

The reference of Kruyer (4,406,793) is cited to illustrate that oil in water emulsions are broken by passing the emulsions through a mesh fiber or wire. See column 3, lines 23-35 and column 4, lines 63-67. The mesh fiber/wire is considered to correspond to applicant's "screen" structure.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to break an emulsion formulated by the combined teachings of German Patent (1,049,851), Hsu et al.(4,692,237), and Bunas et al.(3,998,726) because Kruyer (4,406,793) illustrates mesh structures (screen) are known to break oil/water emulsions.

Claim Rejections - 35 USC § 103

Claims 5-7, 14, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over German Patent (1,049,851) in view of Hsu et al.(4,692,237) and Bunas et al.(3,998,726) as applied to claims 1, 2, 4, 8, 9, 11, 12, 13, 16, 17, 18, and 19 above, and further in view of Watson (1,811,195).

A difference is noted between the combined teachings of German Patent (1,049,851), Hsu et al.(4,692,237), and Bunas et al.(3,998,726) and applicant's claimed invention. The reference is silent about the use of steam as a heat transfer gas.

The reference of Watson (1,811,195) is cited to illustrate that steam is a known heat transfer gas for use in thermal cracking. See page 1, column 1, lines 14-30.

Since the reference of German Patent (1,049,851) does not limit the type of gas injected into the feed, it would have been obvious to one of ordinary skill in the art at the time the invention was made to select steam as the gas injected into the feed because the reference of

Art Unit: 1764

Watson (1,811,195) illustrates that steam is known to accomplish cracking with the formation of lighter components.

Claim Rejections - 35 USC § 103

Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over German Patent (1,049,851) in view of Hsu et al.(4,692,237) and Bunas et al.(3,998,726) as applied to claims 1, 2, 4, 8, 9, 11, 12, 13, 16, 17, 18, and 19 above, and further in view of Dubbs (1,935,148).

A difference is noted between the combined teachings of German Patent (1,049,851), Hsu et al.(4,692,237), and Bunas et al.(3,998,726) and applicant's claimed invention. The reference is silent about the load being a finely pulverized solid.

The reference of Dubbs (1,935,148) is cited to illustrate that powdered coal (powdered coal = pulverized solid) is a suitable thermal cracking feed. See page 1, lines 1-5 and page 1, column 2, lines 85-90.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to select a pulverized solid in the form of powdered coal as a feed to produce lighter products in the reference of Dubbs (1,935,148) because the reference teaches that powdered coal is a suitable feed in a cracking process to produce lighter products.

Art Unit: 1764

Prior Art of Record

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The attached references are cited to illustrate the relative state of the art with respect to steam cracking.

Note: The rejection above is based on an oral translation on the German Patent 1,049,851 submitted in the IDS filed 9-1-00. The German Patent has been submitted by the examiner to the translator for a full translation. The examiner is currently awaiting a full translation of the document used in the ^{rejection}~~invention~~.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nadine Preisch whose telephone number is 703-305-2667. The examiner can normally be reached on Monday through Thursday from 7:30 am to 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marian Knode can be reached on 703-308-4311. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-3599 for regular communications and 703-305-5408 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

N.P.

January 28, 2001

NP

**NADINE PREISCH
ART UNIT 1764**

